

**Government of India**  
**Ministry of Communications & IT**  
**Department of Telecommunications**  
**( Carrier Service Cell -III)**  
**20, Ashoka Road, New Delhi- 110001**

No.16-02.2014-CS-III

Dated 19.05.2014

To

Sh. Tushar Sarkar,  
Flat No. 5, Onkar Park,  
Near Srirang Vihar,  
Dange Chowk, Pune-33


**Subject: Transfer of RTI application dated 30.03.2014 of Sh. Tushar Sarkar, Pune seeking information under RTI Act, 2005.**

Sir,

The above mentioned RTI application dated 30.03.2014 transferred by Dir(AS-IV) & CPIO, DoT received in this office on 05.05.2014 for furnishing information in respect of points 1 & 2 of your application and to state that the guidelines relating to installation of mobile tower has not been framed by Carrier Services Cell of DoT. However Advisory Guidelines for State Governments for issue of Clearance for installation of mobile towers has been issued by Sr. DDG(Term Cell){copy enclosed for ready reference} which is also available on DoT website i.e. www.dot.gov.in. and your RTI application is transferred to DWA & CPIO to provide the information under the terms of section 6(3) of the RTI Act, 2005.

2. Appeal, if any, against the above decision of the CPIO may be preferred, within thirty days of the receipt of this letter to Shri Nitin Jain, DDG (CS) & Appellate Authority, Department of Telecommunications, Room No. 1201, Sanchar Bhavan, 20, Ashoka Road, New Delhi.

Encl: As above

  
(Sanjeev Kumar Sharma)  
Director (CS-III) & CPIO

To:

Sh. M.K. Rao, DWA & CPIO, DoT - with request to provide the requisite information (if any) directly to the applicant. It is requested that the information may be provided direct to the applicant. In case the subject matter of the application does not pertain to or partly pertain to you, the application may be transferred to concerned Public Authorities/CPIOs for providing information.

Copy to :-

1. Sh. R.R. Tiwari, Dir(AS-IV) & CPIO, DoT w.r.t letter no. 10-3/2014-AS-IV dated 1.05.2014.
2. ✓ ADG(IT), DoT is requested to upload the reply on DoT's Website.

**Government of India**  
**Ministry of Communications & IT**  
**Department of Telecommunications**  
**( Carrier Service Cell -III)**  
**20, Ashoka Road, New Delhi- 110001**

No.16-02/2014-CS-III

Dated 16.05.2014

To

Sh. Brij Bhushan,  
House No. 601 FF, Sector 29,  
Near ESI hospital,  
Gurgaon. Pin 122002

**Subject: Transfer of RTI application's No. DOTEL/R/2014/60651 dated 22.04.2014 of Sh. Brij Bhushan, Gurgaon seeking information under RTI Act, 2005.**

Sir,

The above mentioned RTI application's No.DOTEL/R/2014/60651 dated 22.04.2014 received in this office on 29.04.2014 for furnishing information in respect of your application and to state that the guidelines relating to installation of mobile tower has not been framed by Carrier Services Cell of DoT. However Advisory Guidelines for State Governments for issue of Clearance for installation of mobile towers has been issued by Sr. DDG(Term Cell){copy enclosed for ready reference} which is also available on DoT website i.e. www.dot.gov.in. and your RTI application is transferred to DWA & CPIO & Dir(TERM) & CPIO, DoT to provide the information under the terms of section 6(3) of the RTI Act, 2005.

2. Appeal, if any, against the above decision of the CPIO may be preferred, within thirty days of the receipt of this letter to Shri Nitin Jain, DDG (CS) & Appellate Authority, Department of Telecommunications, Room No. 1201, Sanchar Bhavan, 20, Ashoka Road, New Delhi.

Encl: As above

  
(Sanjeev Kumar Sharma)  
Director (CS-III) & CPIO

To,

1. Sh. M. E. Das, DWA & CPIO, DoT.

2. Sh. R. Dhariwal, Dir(TERM) & CPIO, DoT. - with request to provide the requisite information if any, directly to the applicant. It is requested that the information may be provided direct to the applicant. In case the subject matter of the application does not pertain to or partly pertain to you, the application may be transferred to concerned Public Authorities/CPIOs for providing information.

Copy to :-

ADG(IT), DoT is requested to upload the reply on DoT's Website.

**Government of India**  
**Ministry of Communications & IT**  
**Department of Telecommunications**  
**( Carrier Service Cell -III)**  
**20, Ashoka Road, New Delhi- 110001**

No.16-02/2014-CS-III

Dated 16.05.2014

To

Sh. Neeraj Kumar Verma,  
H.N. 160, Baghrajani Devi Temple,  
PO Rath Distt. Hamirpur,  
Pin:210431

**Subject: Transfer of RTI application's No. DOTEL/R/2014/80069 dated 23.04.2014 of Sh. Neeraj Kumar Verma, Hamirpur seeking information under RTI Act, 2005.**

Sir,

The above mentioned RTI application's No. DOTEL/R/2014/80069 dated 23.04.2014 received in this office on 02.05.2014 for furnishing information in respect of your application and to state that requisite information is not available in Carrier Services Cell of DoT and your RTI application is transferred to DWA & CPIO to provide the information under the terms of section 6(3) of the RTI Act, 2005.

2. Appeal, if any, against the above decision of the CPIO may be preferred, within thirty days of the receipt of this letter to Shri Nitin Jain, DDG (CS) & Appellate Authority, Department of Telecommunications, Room No. 1201, Sanchar Bhavan, 20, Ashoka Road, New Delhi.

Encl: As above

  
(Sanjeev Kumar Sharma)  
Director (CS-III) & CPIO

To,

Director (DWA & CPIO), DoT, with request to provide the requisite information if any, directly to the applicant. It is requested that the information may be provided direct to the applicant. In case the subject matter of the application does not pertain to or partly pertain to you, the application may be transferred to concerned Public Authorities/CPIOs for providing information.

Copy to :-

ADG(IT), DoT is requested to upload the reply on DoT's Website.

Government of India  
Ministry of Communications & IT  
Department of Telecommunications  
(Carrier Service Cell -III)  
20, Ashoka Road, New Delhi- 110001

Dated: 15.05.2014

No.16-02/2014-CS-III

To

Sh. Dayaram Vishu,  
Vill & Post-Dhigal,  
Distt. Jhunjhunu(Rajasthan)  
Pin-333041

**Subject: Transfer of RTI application dated 21.04.2014 of Sh. Dayaram Vishu, Rajasthan seeking information under RTI Act, 2005.**

Sir,

The above mentioned RTI application dated 21.04.2014 transferred by Dy. Secy(Coord.) & CPIO & Di(TERM) & CPIO received in this office on 30.04.2014 for furnishing information in respect of your application and to state that the guidelines relating to installation of mobile tower has not been framed by Carrier Services Cell of DoT. However Advisory Guidelines for State Governments for issue of Clearance for installation of mobile towers has been issued by Sr. DDG(Term Cell){copy enclosed for ready reference} which is also available on DoT website i.e. www.dot.gov.in and your RTI application is transferred to DWA & CPIO to provide the information under the terms of section 6(3) of the RTI Act, 2005.

2. Appeal, if any, against the above decision of the CPIO may be preferred, within thirty days of the receipt of this letter to Shri Nitin Jain, DDG (CS) & Appellate Authority, Department of Telecommunications, Room No. 1201, Sanchar Bhavan, 20, Ashoka Road, New Delhi.

Encl: As above

(Sanjeev Kumar Sharma)  
Director (CS-III) & CPIO

To,

~~Sh. M.K. Rao, DWA & CPIO, DoT - with request to provide the requisite information if any, directly to the applicant. It is requested that the information may be provided directly to the applicant. In case the subject matter of the application does not pertain to or partly pertain to you, the application may be transferred to concerned Public Authorities/CPIOs for providing information.~~

Copy to :-

1. Sh. Ranjan Kumar, Dy. Secy(Coord.) & CPIO, DoT w.r.t letter No.9-04/2014-RTI(o) dated 25.04.2014.
2. ✓ ADG(IT), DoT is requested to upload the reply on DoT's Website.
3. DD(OL), DoT is requested to provide the hindi translation of this letter.

Government of India  
Ministry of Communications & IT  
Department of Telecommunications  
(Carrier Service Cell -III)  
20, Ashoka Road, New Delhi- 110001

Dated: 15.05.2014

No.16-02/2014-CS-III

To

Sh.Abdul Rashid,  
36/34-35, Trilokpuri  
Delhi-110091


**Subject:** Transfer of RTI application dated 21.03.2014 of Sh. Abdul Rashid, Delhi seeking information under RTI Act, 2005.

Sir,

The above mentioned RTI application dated 21.03.2014 transferred by DWA & CPIO received in this office on 28.04.2014 for furnishing information in respect of your application and to state that the guidelines relating to installation of mobile tower has not been framed by Carrier Services Cell of DoT. However Advisory Guidelines for State Governments for issue of Clearance for installation of mobile towers has been issued by Sr. DDG(Term Cell){copy enclosed for ready reference} which is also available on DoT website i.e. www.dot.gov.in. and your RTI application is transferred to DWA & CPIO to provide the information under the terms of section 6(3) of the RTI Act, 2005.

2. Appeal, if any, against the above decision of the CPIO may be preferred, within thirty days of the receipt of this letter to Shri Nitin Jain, DDG (CS) & Appellate Authority, Department of Telecommunications, Room No. 1201, Sanchar Bhavan, 20, Ashoka Road, New Delhi.

Encl: As above

  
(Sanjeev Kumar Sharma)  
Director (CS-III) & CPIO

Sh. M.K. Rao, DWA & CPIO, DoT - with request to provide the requisite information directly to the applicant. It is requested that the information may be provided direct to the applicant. In case the subject matter of the application does not pertain to or partly pertain to you, the application may be transferred to concerned Public Authorities/CPIOs for providing information.

Copy to :-

1. Sh. Ranjan Kumar, Dy. Secy(Coord.) & CPIO, DoT w.r.letter No.9-04/2014-RTI(II) dated 25.04.2014.
2. ADG(II), DoT is requested to upload the reply on DoT's Website.
3. DD(OL), DoT is requested to provide the hindi translation of this letter.

Government of India  
Ministry of Communications & IT  
Department of Telecommunications  
(Carrier Service Cell-III)  
20, Ashoka Road, New Delhi- 110001

Dated: 15.05.2014

No.16-07/2014-CS-III

To

Sh. Rajan Prakash  
House No. 60, Indrapuri Road No. 15,  
East Keshari Nagar, Patna-800024


Subject: RTI application dated 04.04.2014.

Sir,

The above mentioned RTI application's dated 04.04.2014 transferred by Dy. Secy(Coord.) & CPIO & Dir(TERM) & CPIO received in this office on 28.04.2014 & 30.04.2014 for furnishing information in respect of points 1 & 2 of your application and to state that the guidelines relating to installation of mobile tower has not been framed by Carrier Services Cell of DoT. However Advisory Guidelines for State Governments for issue of Clearance for installation of mobile towers has been issued by Sr. DDG(Term Cell){copy enclosed for ready reference} which is also available on DoT website i.e. www.dot.gov.in and your RTI application has already been transferred by Dy. Secy(Coord.) & CPIO, DoT to Dir(TERM) & CPIO, DoT on 25.04.2014 for providing reply to your application any, if available.

2. Appeal, if any, against the above decision of the CPIO may be preferred, within thirty days of the receipt of this letter to Shri Nitin Jain, DDG (CS) & Appellate Authority, Department of Telecommunications, Room No. 1201, Sanchar Bhavan, 20, Ashoka Road, New Delhi.

Encl: As above

  
(Sanjeev Kumar Sharma)  
Director (CS-III) & CPIO

Copy to :-

1. Sh. Rajan Prakash, Dy. Secy(Coord.) & CPIO, DoT w.r.t letter No.9-04/2014-RTI(6) dated 25.04.2014.
2. Sh. R. Dhariwal, Dir(TERM) & CPIO, DoT w.r.t letter No. 16-1/2014-TERM(Vol.II) dated 29.04.2014.
3. ADG(II), DoT is requested to upload the reply on DoT's Website.

Government of India  
Ministry of Communications & IT  
Department of Telecommunications  
(Carrier Service Cell -III)  
20, Ashoka Road, New Delhi- 110001

Dated: 15.05.2014

No. 16-01/2014-CS-III

To

Sh. Natraj Saha,  
Shivnalla Paada,  
Ward No. 11 (eleven), Rampurhaat,  
Birbhoon, West Bengal,  
Pin: 731224-03


Subject: RTI application dated 12.04.2014.

Sir,

The above mentioned RTI application's dated 12.04.2014 transferred by Dy. Secy(Coord.) & CPIO & Dir(Term) & CPIO received in this office on 28.04.2014 & 30.04.2014 for furnishing information in respect of your application and to state that the guidelines relating to installation of mobile tower has not been framed by Carrier Services Cell of DoT. However Advisory Guidelines for State Governments for issue of Clearance for installation of mobile towers has been issued by Sr. DDG(Term Cell){copy enclosed for ready reference} which is also available on DoT website i.e. www.dot.gov.in.

2. Appeal, if any, against the above decision of the CPIO may be preferred, within thirty days of the receipt of this letter to Shri Nitin Jain, DDG (CS) & Appellate Authority, Department of Telecommunications, Room No. 1201, Sanchar Bhavan, 20, Ashoka Road, New Delhi.

Encl: As above

  
(Sanjeev Kumar Sharma)  
Director (CS-III) & CPIO

Copy to :-

1. Sh. R. Dhariwal, Dir(Term) & CPIO, DoT w.r.t letter No.9-04/2014-RTI(II) dated 25.04.2014.
2. Sh. R. Dhariwal, Dir(TERM) & CPIO, DoT w.r.t letter No. 16-1/2014-TERM(Vol.II) dated 29.04.2014.
3.  ADG(II), DoT is requested to upload the reply on DoT's Website.
4. DD(OL), DoT is requested to provide the hindi translation of this letter.