

24-01/2024-EW  
Government of India  
Ministry of Communications  
Department of Telecommunications

618-A, Mahanagar Doorsanchar Bhawan  
J. L. Nehru Marg, New Delhi-110002


Dated: 22.05.2024

OFFICE MEMORANDUM

**Subject: Sensitive posts of P&T Building Works Group 'A' Service in DoT-reg.**

In supersession to DoT OM No. 43-02/2014-EW dated 26.04.2022 on the above subject, the sensitive posts of P&T Building Works Group 'A' Service have been identified as per Annexure to this OM.

2. This issues with the approval of Competent Authority.

  
(Awadhesh Kumar Singh)  
Director (Electrical)  
Ph. No. 23218925

Copy to:

- i. PSO to Secretary (T) DoT,
- ii. Member (S)/ Member (T) / Member (F), Digital Communications Commission
- iii. Director General Telecom/ Advisor (O)/ Advisor (T)/
- iv. CVO, DoT Hq.
- v. Heads of LSAs/TEC/NTIPRIT/ NCCS
- vi. Sr DDG (BW)/ DDG (Estt)/ DDG (Elect) DoT Hq..
- vii. Director (Civil)/ Director (Arch.)
- viii. Director (EW). For uploading to DoT Website.
- ix. Order bundle/ Guard file.


**Sensitive/Non-Sensitive posts of P&T Building Works Group 'A' Service in DoT**

S. No.	Name of Post	Unit/ LSA	Sensitive /Non-sensitive
1.	Sr. DDG (BW)	DoT HQs	Non- Sensitive
2.	DDG (Civil) HQ	DoT HQs	Sensitive
3.	DDG (Electrical) HQ	DoT HQs	Sensitive
4.	DDG (Electrical)	DGT HQs	Non- Sensitive
5.	DDG (Electrical)	Delhi LSA	Non- Sensitive
6.	DDG (Electrical)	Maharashtra LSA	Non- Sensitive
7.	DDG (Electrical)	Karnataka LSA	Non- Sensitive
8.	DDG (Electrical)	West Bengal LSA	Non- Sensitive
9.	DDG (Electrical)	Assam LSA	Non- Sensitive
10.	Director (Civil)	DoT HQs	Sensitive
11.	Director (Vigilance) civil wing post	DoT HQs	Sensitive (temporarily diverted to NITIPRIT as Director (IM-civil))
12.	Director (Electrical)	DoT HQs	Sensitive
13.	Director (Electrical Works) - 1	DoT HQs	Non- Sensitive
14.	Director (Electrical Works) - 2	DoT HQs	Non- Sensitive
15.	Director (Electrical)	TEC	Non- Sensitive
16.	Director (IM)	NTIPRIT	Non- Sensitive
17.	Director (Electrical)	J&K LSA	Non- Sensitive
18.	Director (Electrical)	Himachal LSA	Non- Sensitive
19.	Director (Electrical)	Punjab LSA	Non- Sensitive
20.	Director (Electrical)	Haryana LSA	Non- Sensitive
21.	Director (Electrical)	Delhi LSA	Non- Sensitive
22.	Director (Electrical)	UP(W) LSA	Non- Sensitive
23.	Director (Electrical)	UP(E) LSA	Non- Sensitive
24.	Director (Electrical)	Rajasthan LSA	Non- Sensitive
25.	Director (Electrical)	Madhya Pradesh LSA	Non- Sensitive
26.	Director (Electrical)	Gujarat LSA	Non- Sensitive
27.	Director (Electrical)	Mumbai LSA	Non- Sensitive
28.	Director (Electrical)	Maharashtra LSA	Non- Sensitive
29.	Director (Electrical)	Karnataka LSA, NCCS	Non- Sensitive
30.	Director (Electrical)	Kerala LSA	Non- Sensitive
31.	Director (Electrical)	Tamil Nadu LSA	Sensitive (Temporarily diverted as Director (IM-II Electrical) at NITIPRIT)

  
21/5/2024

S. No.	Name of Post	Unit/ LSA	Sensitive /Non-sensitive
32.	Director (Electrical)	Andhra Pradesh LSA	Non- Sensitive
33.	Director (Electrical)	Odisha LSA	Non- Sensitive
34.	Director (Electrical)	Bihar LSA	Non- Sensitive
35.	Director (Electrical)	West Bengal LSA	Non- Sensitive
36.	Director (Electrical)	Assam LSA	Non- Sensitive
37.	Director (Electrical)	North East LSA	Non- Sensitive
38.	Director (Arch)	DoT HQs	Non- Sensitive
39.	ADG (Electrical)-1	DoT HQs	Non- Sensitive
40.	ADG (Electrical)-2	DoT HQs	Non- Sensitive
41.	Asstt. Executive Engineer (Civil)	DoT HQs	Non- Sensitive

*Note: one post, out of the seven posts of DDG (Electrical) has been temporarily diverted to NTIPRIT as DDG (Infra Management) w.e.f. the date the officer posted against this post joins NTIPRIT which shall be a sensitive post when operated in NTIPRIT.*

  
22/5/2024