

43-02/2014-EW
Government of India
Ministry of Communications
Department of Telecommunications Sanchar
Bhawan, 20-Ashoka Road, New Delhi
(A&E Section)


Dated the 26th April, 2022

OFFICE MEMORANDUM

Subject: Sensitive posts of P&T Building Works Service Group 'A' in DoT - reg.

In pursuance of the guidelines issued by CVC and in supersession of all earlier orders in the regard, the sensitive posts of P&T Building Works Service, Group 'A' have been identified as indicated in Annexure to this OM.

This issues with the approval of Competent Authority.


(Dinesh Sharma)
Director (Electrical)
Tel: 2303-6500

To

1. PPS to Secretary (T)
2. Member(S)/Member(T)/DG Telecom
3. Advisor(O)/Advisor(T)
4. AS (T)/ Administrator USOF/DG(Telecom)
5. CVO, DoT
6. Heads of LSAs/TEC/NTIPRIT/NCCS
7. All Sr. DDG/DDG in DoT HQ (Technical Side)
8. Director(IT), DoT for posting this OM in the website of DoT
9. Guard file/spare

Sensitive/Non-sensitive posts of P&T Building Works Service Group 'A'

S.No	Name of Post	Unit/LSA	Sensitive/ Non sensitive
1	Sr. DDG(BW)	DoT HQ	Non-sensitive
2	DDG(Civil) HQ	DoT HQ	Non sensitive
3	DDG(Electrical) HQ	DoT HQ	Sensitive
4	DDG(Electrical)	DGT HQ	Sensitive
5	DDG(Electrical)	Delhi LSA	Sensitive
6	DDG(Electrical)	Maharashtra LSA	Sensitive
7	DDG(Electrical)	Karnataka LSA	Sensitive
8	DDG(Electrical)	West Bengal LSA	Sensitive
9	DDG(Electrical)	Assam LSA	Sensitive
10	Director(Civil)	DoT HQ	Sensitive
11	Director(Vigilance)	DoT HQ	Sensitive
12	Director(Electrical)	DoT HQ	Sensitive
13	Director(Electrical Works) - 1	DoT HQ	Sensitive
14	Director(Electrical Works) - 2	DoT HQ	Sensitive
15	Director(Electrical)	TEC	Sensitive
16	Director(IM)	NTIPRIT	Non sensitive
17	Director(Electrical)	J&K LSA	Sensitive
18	Director(Electrical)	Himachal LSA	Sensitive
19	Director(Electrical)	Punjab LSA	Sensitive
20	Director(Electrical)	Haryana LSA	Sensitive
21	Director(Electrical)	Delhi LSA	Sensitive
22	Director(Electrical)	UP(W) LSA	Sensitive
23	Director(Electrical)	UP(E) LSA	Sensitive
24	Director(Electrical)	Rajasthan LSA	Sensitive
25	Director(Electrical)	Madhya Pradesh LSA	Sensitive
26	Director(Electrical)	Gujarat LSA	Sensitive
27	Director(Electrical)	Mumbai LSA	Sensitive
28	Director(Electrical)	Maharashtra LSA	Sensitive
29	Director(Electrical)	Karnataka LSA, NCCS	Sensitive
30	Director(Electrical)	Kerala LSA	Sensitive
31	Director(Electrical)	Tamil Nadu LSA	Sensitive
32	Director(Electrical)	Andhra Pradesh LSA	Sensitive
33	Director(Electrical)	Odisha LSA	Sensitive
34	Director(Electrical)	Bihar LSA	Sensitive
35	Director(Electrical)	West Bengal LSA	Sensitive
36	Director(Electrical)	Assam LSA	Sensitive
37	Director(Electrical)	North East LSA	Sensitive
38	Director(Arch)	DoT HQ	Sensitive
39	Asstt. Executive Engineer(Civil)	DoT HQ	Non sensitive

